

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ACTIVATED CARBON LDS NON SELF-HEATING POWDER
REACH registered number(s): 01-2119488716-22-0001; 01-2119488716-22-0004
CAS number: 7440-44-0
EINECS number: 931-334-3
Synonyms: ACTICARBONE: ENOH, ENO-PC, ENO-PI, CEW, CPL, CPW, CPWH, CSX, MRW, CSA, SCW, 3 CGA, 3CGA, CPI, CPIH, CSXE, ENO ANTICROMOS, HPX5, HPX7
DECOLOURCARB: DCL320 A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Adsorbent

1.3. Details of the supplier of the safety data sheet

Company name: Chemviron S.A.
Parc Industriel
Zone C
Feluy
7181
Belgium
Tel: +32 (0) 64 511 811
Email: sds@calgoncarbon.com WEB PAGE www.chemviron.eu

1.4. Emergency telephone number

Emergency tel: Chemviron Facility Belgium +32 (0) 64 511 811
Chemviron Facility UK +44 (0) 1942 275 400
Chemviron Facility Italy +39 02 93185811
International Emergency 112

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements: This product has no label elements.

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 2

2.3. Other hazards

Other hazards: Caution - Wet activated carbon removes oxygen from air causing severe hazard to workers inside vessels or enclosed or confined spaces containing activated carbon. Before entering such an area, follow the sampling and work procedures for low oxygen levels. Contact with airborne dust may be slightly irritating to eyes and respiratory tract. Observe all local and national regulations. Powder Activated Carbons LDS may give rise to dust explosions.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: ACTIVATED CARBON LDS NON SELF-HEATING

CAS number: 7440-44-0

EINECS number: 931-334-3

REACH registered number(s): 01-2119488716-22-0001; 01-2119488716-22-0004

Contains: NON-CLASSIFIED SUBSTANCE UNDER GHS/CLP

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: No symptoms.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water. Water spray. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

[cont...]

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 3

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.
Ensure there is sufficient ventilation of the area. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Avoid incompatible materials and conditions - see section 10 of SDS.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Please seek technical guidance from Chemviron S.A.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	3mg/m3	-	1mg/m3	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Approved particulate filter is recommended if excessive dust is generated.

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields. Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

[cont...]

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 4

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder

Colour: Black

Odour: Odourless

Solubility in water: Insoluble

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Avoid stirring up dust clouds, especially in confined spaces. Keep dust clouds away from ignition sources.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>2000	mg/kg
DUST/MIST	RAT	1H LC50	>64.4	mg/l
DERMAL	RBT	-	0	skin irritant index

[cont...]

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 5

Hazardous ingredients:

ACTIVATED CARBON LDS NON SELF-HEATING

DERMAL	RBT	-	0	-
DUST/MIST	RAT	1H LC50	>64.4	mg/l
ORAL	RAT	LD50	>2000	mg/kg

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: No symptoms.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Not applicable.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
FISH	96H LC50	Exempt	-
DAPHNIA	48H EC50	Exempt	-
ALGAE	72H IC50	Exempt	-

Hazardous ingredients:

ACTIVATED CARBON LDS NON SELF-HEATING

ALGAE	-	Exempt	-
DAPHNIA	-	Exempt	-
FISH	-	Exempt	-

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Non-volatile. Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

[cont...]

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 6

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Land treatment (e.g. biodegradation of liquid or sludge discards in soils, etc.).

Recovery operations: Not applicable.

Waste code number: 15 02 03 / 15 02 02*

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: Transport information

Transport class: This product does not require a classification for transport following exemption by specific test criteria (see section 16).

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This product does not require a classification for transport following exemption by specific test criteria:
If the product is transported in bags or big bags: the product can be non regulated when the test 33.3.1.3.3 from the UN testing and criteria manual is negative.
IMDG: Not subjected to class 4.2 if test IMO-IMDG negative (certificate obligatory).
ICAO/IATA: Samples not subjected to class 4.2 (certificate obligatory).
ADR/RID: Not subjected to class 4.2 (2.2.42.1.5 of the ADR).

FLAMMABILITY AND EXPLOSIVITY PROPERTIES:

ATEX Flammability Class: A, BS EN 13821:2002; VDI 2263

Minimum cloud Ignition Temperature (MIT): 520 °C, BS EN 50281-2-1:1999

Minimum Layer Ignition Temperature (LIT): >450 °C, 5 mm layer; BS EN 50281-2-1:1999

[cont...]

SAFETY DATA SHEET

ACTIVATED CARBON LDS NON SELF-HEATING POWDER

Page: 7

Maximum Recommended Surface Temperature: 300 °C, BS EN 61241-14:2004

Minimum Ignition Energy (MIE): >1 J, BS EN 13821:2002

Dust Explosion Class: St-1

Kst: 90 bar m/s

This product does not require a classification for transport following exemption by specific test criteria:

dP/dt: 332 bar/s

Kst, Pmax and dP/dt to BS EN 14034-1:2004 & BS EN 14034-2:2006

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Chemviron S.A. provides no warranty with respect to this information and disclaims all liability associated with its use.

